

# United States Patent [19]

## **Tarlov**

#### **Patent Number:** [11]

5,514,501

**Date of Patent:** [45]

May 7, 1996

[54]	PROCESS FOR UV-PHOTOPATTERNING OF
	THIOLATE MONOLAYERS
	SELF-ASSEMBLED ON GOLD, SILVER AND
	OTHER SUBSTRATES

[75]	Inventor:	Michael .	I. Tarlov.	Washington,	D.C.

[73] Assignee: The United States of America as represented by the Secretary of

Commerce, Washington, D.C.

[21]	Appl.	No.:	255.	961

[56]

[22]	Filed:	Inn.	7.	1994

[51]	Int. Cl. <sup>6</sup>	<b>G03F 7/00</b> ; G03C 5/16
[52]	U.S. Cl	430/5; 430/311; 430/315
	430/322; 430/324	; 430/396; 427/377; 427/387
		427/539

[58] 430/322, 324, 396; 427/377, 387, 539

## References Cited

### U.S. PATENT DOCUMENTS

3,940,912	3/1976	Buchner 423/658.2
4,410,562	10/1983	Nemoto et al 427/54.1
4,477,326	10/1984	Lin 522/21
4,640,940	2/1987	Jacobine et al 522/99
4,715,929	12/1987	Ogawa 216/48
4,948,712	8/1990	Inoue et al 430/409
4,964,972	10/1990	Sagiv et al 204/418
4,994,358	2/1991	Deguchi et al 430/547
5,077,085	12/1991	Schnur et al 427/98
5,079,600	1/1992	Schnur et al 257/750

5,120,569	6/1992	Zupanic et al	427/43.1
5,126,007	6/1992	Shmulovich	216/48
5,220,030	6/1993	Deaton	548/105
5,223,117	6/1993	Wrighton et al	204/415

Primary Examiner-Kathleen Duda Attorney, Agent, or Firm-Evenson, McKeown, Edwards & Lenahan

#### **ABSTRACT** [57]

A process for creating a two dimensional spacial distribution pattern of different thiolate molecules on a substrate by illuminating a surface of a self-assembled monolayer of a first thiolate compound in the presence of oxygen with high frequency electromagnetic radiation distributed according to a desired pattern, and subsequently immersing the illuminated substrate in a solution of a second thiolate compound so that molecules of the first thiolate compound in illuminated areas of the monolayer are exchanged for molecules of said second thiolate compound; and a patterned biomolecular composite formed of a substrate which forms a selfassembled thiolate monolayer when immersed in a solution of a thiolate forming compound, a thiolate monolayer deposited on the substrate and composed of patterned areas of first and second thiolate compounds, respectively, the first thiolate compound having an affinity for specifically or nonspecifically adsorbing a biological molecule, and the second thiolate compound having essentially no affinity for the biological molecule, and at least one biological material adsorbed in a corresponding pattern on the patterned areas of the first thiolate compound in the thiolate monolayer.

### 15 Claims, 6 Drawing Sheets

